ELSEVIER

Analytica Chimica Acta 467 (2002) 267–269

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Aboul-Enein, H.Y., see Stefan, R.-I. 189
Akrida-Demertzi, K., see Triantafyllou, V.I. 253
Albanis, T.A., see Sakkas, V.A. 233
Altmann, R., see Perdikaki, K. 197
Alvim-Ferraz, M.C.M., see Oliva-Teles, M.T. 97
Andrade-Eiroa, A.
—, Erustes, J.A., Forteza, R., Cerdá, V. and Lima, J.L.F.C.
Determination of chloride by multisyringe flow injection analysis and sequential injection analysis with potentiometric detection 25
Atta-Politou, J., see Tzouganaki, Z.D. 115

Becerra, E., see Pizà, N. 155
Bláha, M., see Bláha, V. 125
Bláha, V.
—, Solichová, D., Bláha, M., Hyšpler, R., Havel, E., Vyroubal, P., Žd'ánský, P. and Zadák, Z.
Interrelationship between fatty acid composition, lipid peroxidation and alpha-tocopherol consumption post-LDL-apheresis treatment evaluated by liquid chromatography and gas chromatography 125
Bolis, S.D., see Economou, A. 179

Cerdá, V., see Andrade-Eiroa, A. 25
Cerdà, V., see de Armas, G. 13
Cerdà, V., see Pizà, N. 155
Cessna, A.J., see Waite, D.T. 245
Chaniotakis, N.A., see Dimakis, V.T. 217
Chaniotakis, N.A., see Perdikaki, K. 197

de Armas, G.
—, Miró, M., Estela, J.M. and Cerdà, V.
Multisyringe flow injection spectrofluorimetric determination of warfarin at trace levels with on-line solid-phase preconcentration 13
de Armas, G., see Pizà, N. 155
Delerue-Matos, C.M., see Oliva-Teles, M.T. 97
Demertzis, P.G., see Triantafyllou, V.I. 253
Dimakis, V.T.
—, Gavalas, V.G. and Chaniotakis, N.A.
Polyelectrolyte-stabilized biosensors based on macroporous carbon electrode 217

Economou, A.
—, Bolis, S.D., Efstathiou, C.E. and Volikakis, G.J.
A "virtual" electroanalytical instrument for square wave voltammetry 179
Efstathiou, C.E., see Economou, A. 179
Erustes, J.A., see Andrade-Eiroa, A. 25
Estela, J.M., see de Armas, G. 13
Estela, J.M., see Pizà, N. 155
Evmiridis, N.P., see Yao, D. 133, 145

Fiamegos, Y.
—, Stalikas, C. and Pilidis, G.
4-Aminoantipyrine spectrophotometric method of phenol analysis. Study of the reaction products via liquid chromatography with diode-array and mass spectrometric detection 105
Forteza, R., see Andrade-Eiroa, A. 25

Gavalas, V.G., see Dimakis, V.T. 217
Giokas, D.L., see Paleologos, E.K. 205

Hájková, R.
—, Solich, P., Pospíšilová, M. and Šícha, J.
Simultaneous determination of methylparaben, propylparaben, sodium diclofenac and its degradation product in a topical emulgel by reversed-phase liquid chromatography 91
Hamosfakidi, P.G., see Mazonakis, N.E. 261
Hansen, E.H.
— and Wang, J.
Implementation of suitable flow injection/sequential injection-sample separation/preconcentration schemes for determination of trace metal concentrations using detection by electrothermal atomic absorption spectrometry and inductively coupled plasma mass spectrometry 3
Havel, E., see Bláha, V. 125
Hyšpler, R., see Bláha, V. 125

Jurkschat, K., see Perdikaki, K. 197

Karathanassi, P.H., see Mazonakis, N.E. 261
Karayannis, M.I.
Foreword to IMA 2001 1
Karayannis, M.I., see Paleologos, E.K. 205
Karayannis, M.I., see Pappas, A.Ch. 225
Koupparis, M.A., see Tzouganaki, Z.D. 115

Lambropoulou, D.A., see Sakkas, V.A. 233

PII: S0003-2670(02)00761-4

Lima, J.L.F.C.
—, Prior, J.A.V., Reis, B.F., Santos, J.L.M. and Zagatto, E.A.G.
Automated spectrophotometric determination of clomipramine on a multicommutated flow system 75
Lima, J.L.F.C., see Andrade-Eiroa, A. 25

Mazonakis, N.E.
—, Karathanassi, P.H., Panagiotopoulos, D.P., Hamosfakidi, P.G. and Melissos, D.A.
Cleaning validation in the toiletries industry 261
Melissos, D.A., see Mazonakis, N.E. 261
Miró, M., see de Armas, G. 13
Miró, M., see Pizà, N. 155
Mulaudzi, L.V., see Stefan, R.-I. 189
Mulaudzi, L.V.
—, van Staden, J.F. and Stefan, R.I.
On-line determination of iron(II) and iron(III) using a spectrophotometric sequential injection system 35
Determination of chromium(III) and chromium(VI) by use of a spectrophotometric sequential injection system 51

Ochsenkühn-Petropoulou, M.
— and Tsopelas, F.
Speciation analysis of selenium using voltammetric techniques 167
Oliva-Teles, M.T.
—, Paíga, P., Delerue-Matos, C.M. and Alvim-Ferraz, M.C.M.
Determination of free formaldehyde in foundry resins as its 2,4-dinitrophenylhydrazone by liquid chromatography 97

Paíga, P., see Oliva-Teles, M.T. 97
Paleologos, E.K.
—, Prodromidis, M.I., Giokas, D.L., Pappas, A.Ch. and Karayannis, M.I.
Highly selective spectrophotometric determination of trace cobalt and development of a reagentless fiber-optic sensor 205
Panagiotopoulos, D.P., see Mazonakis, N.E. 261
Pappas, A.Ch.
—, Prodromidis, M.I. and Karayannis, M.I.
Flow monitoring of NADH consumption in bioassays based on packed-bed reactors bearing NAD^+-dependent dehydrogenases. Determination of acetaldehyde using alcohol dehydrogenase 225
Pappas, A.Ch., see Paleologos, E.K. 205
Perdikaki, K.
—, Tsagkatakis, I., Chaniotakis, N.A., Altmann, R., Jurkschat, K. and Reeske, G.
Selective fluoride recognition and potentiometric properties of ion-selective electrodes based on bis(halodiphenylstannyl)alkanes 197
Pilidis, G., see Fiamegos, Y. 105
Pizà, N.
—, Miró, M., de Armas, G., Becerra, E., Estela, J.M. and Cerdà, V.
Implementation of chemiluminescence detection in the multisyringe flow injection technique 155
Pospíšilová, M., see Hájková, R. 91

Prior, J.A.V., see Lima, J.L.F.C. 75
Prodromidis, M.I., see Paleologos, E.K. 205
Prodromidis, M.I., see Pappas, A.Ch. 225

Quiring, D.V., see Waite, D.T. 245

Reeske, G., see Perdikaki, K. 197
Reis, B.F., see Lima, J.L.F.C. 75

Sakellarides, T.M., see Sakkas, V.A. 233
Sakkas, V.A.
—, Lambropoulou, D.A., Sakellarides, T.M. and Albanis, T.A.
Application of solid-phase microextraction for monitoring the photocatalytic decomposition of fenthion and parathion in aqueous TiO_2 suspensions 233
Santos, J.L.M., see Lima, J.L.F.C. 75
Šícha, J., see Hájková, R. 91
Solich, P., see Hájková, R. 91
Solichová, D., see Bláha, V. 125
Sproull, J.F., see Waite, D.T. 245
Stalikas, C., see Fiamegos, Y. 105
Stefan, R.I., see Mulaudzi, L.V. 35, 51
Stefan, R.-I.
—, van Staden, J.F., Mulaudzi, L.V. and Aboul-Enein, H.Y.
On-line simultaneous determination of *S*- and *R*-perindopril using amperometric biosensors as detectors in flow systems 189

Themelis, D.G., see Tzanavaras, P.D. 83
Triantafyllou, V.I.
—, Akrida-Demertzi, K. and Demertzis, P.G.
Migration studies from recycled paper packaging materials: development of an analytical method for rapid testing 253
Tsagkatakis, I., see Perdikaki, K. 197
Tsopelas, F., see Ochsenkühn-Petropoulou, M. 167
Tzanavaras, P.D.
— and Themelis, D.G.
Simultaneous flow-injection determination of fluoride, monofluorophosphate and orthophosphate ions using alkaline phosphatase immobilized on a cellulose nitrate membrane and an open-circulation approach 83
Tzouganaki, Z.D.
—, Atta-Politou, J. and Koupparis, M.A.
Development and validation of liquid chromatographic method for the determination of lycopene in plasma 115

van Staden, J.F.
Solving the problems of sequential injection systems as process analyzers 61
van Staden, J.F., see Mulaudzi, L.V. 35, 51
van Staden, J.F., see Stefan, R.-I. 189
Vlessidis, A.G., see Yao, D. 133, 145
Volikakis, G.J., see Economou, A. 179
Vyroubal, P., see Bláha, V. 125

Waite, D.T.
—, Sproull, J.F., Quiring, D.V. and Cessna, A.J.
Dry atmospheric deposition and deposition velocities of

dicamba, 2,4-dichlorophenoxyacetic acid and γ-1,2,3,4,5,6-hexachlorocyclohexane 245
Wang, J., see Hansen, E.H. 3

Xu, S., see Yao, D. 145

Yao, D.
—, Vlessidis, A.G. and Evmiridis, N.P.
Monitoring reactive oxygen species in vivo using microdialysis sampling and chemiluminescence detection as an alternative global method for determination of total antioxidant capacity 133
Yao, D.
—, Vlessidis, A.G., Evmiridis, N.P., Zhou, Y., Xu, S. and Zhou, H.
Novel chemiluminescence method for detection of superoxide anions and its application to dry-cured meat 145

Zadák, Z., see Bláha, V. 125
Zagatto, E.A.G., see Lima, J.L.F.C. 75
Žd'ánský, P., see Bláha, V. 125
Zhou, H., see Yao, D. 145
Zhou, Y., see Yao, D. 145